

The LONGi Solar HiMo6 430Wp All Black Solar Panel (LR5-54HTB-430M) improves power generation capacity providing a great power to size ratio and excellent performance - achieving 21.8% efficiency. The product family is ...

LONGi new generation HPBC cell technology opens a new chapter in the mass production of high-efficiency cells and continues to lead the reform of the industry. The efficiency of LONGi HPBC cells exceeds 25.0%. The efficiency of ...

LR5-54HTB 440~450M Mechanical Loading Front Side Maximum Static Loading 5400Pa Rear Side Maximum Static Loading 2400Pa Hailstone Test 25mm Hailstone at the speed of 23m/s Temperature Ratings (STC) Temperature Coefficient of Isc +0.050%/°C Temperature Coefficient of Voc -0.230%/°C Temperature Coefficient of Pmax -0.290%/°C 23.0% MAX MODULE

Durability: Built with robust materials and a proven track record, the LONGi Hi-MO X6 Explorer LR5-54HTB is designed to withstand harsh weather conditions, ensuring reliable performance for years.
Low-light performance: This solar panel performs well in low-light conditions, maximising energy production even on overcast days.

Durability: Built with robust materials and a proven track record, the LONGi Hi-MO X6 Explorer LR5-54HTB is designed to withstand harsh weather conditions, ensuring reliable performance for years.
Low-light ...

Hi-MO@ LRS-54HTB 410-430M 22.0% ±5W <1.5% 0.40% MAX MODULE POWER
FIRSTYEAR YEAR2 25 EFFICIENCY TOLERANCE POWER DEGRADATION POWER
DEGRADATION Additional Value 25-Year Power Warranty 100% 98.5% 91.2% 87.7% 84.5% 80.7% 10 15
20 Mechanical Parameters Cell Orientation Junction Box Output Cable Glass Frame Weight ...

LONGI LR5-54HTB-430M-430 Wp (FB) compare. Product number: 01-700278. Availability: 11 in stock
Delivery time: Delivery time after registration. Net price for 1 item: On request Technical questions X
Customers also bought. MC4 plug PV-KST4/6II-UR - (5.5 - 9 mm) ...

LR5-54HTB 415~435M Mechanical Loading Front Side Maximum Static Loading 5400Pa Rear Side Maximum Static Loading 2400Pa Hailstone Test 25mm Hailstone at the speed of 23m/s Temperature Ratings (STC) Temperature Coefficient of Isc +0.050%/°C Temperature Coefficient of Voc -0.230%/°C Temperature Coefficient of Pmax -0.290%/°C 22.3% MAX MODULE

LONGI LR5-54HTB-430M-430 Wp (FB) compare. Product number: 01-700278. Availability: 11 in stock



Austria Ir5 54htb 430m

Delivery time: Delivery time after registration. Net price for 1 item: On request Technical ...

LR5-54HTDB 415~430M Leading technology:No front grid lines design brings higher power gain and fully satisfies the household electricity needs. Low-carbon lifestyle:Use solar power as the foundation to build a low-carbon life, and the product design follows the ...

LONGi new generation HPBC cell technology opens a new chapter in the mass production of high-efficiency cells and continues to lead the reform of the industry.The efficiency of LONGi HPBC cells exceeds 25.0%.The efficiency of the PRO version HPBC cells exceeds 25.3%. LONGi Hi-MO 6 is a product family based on efficient HPBC cell technology. It has the characteristics ...

The LONGi Solar HiMo6 430Wp All Black Solar Panel (LR5-54HTB-430M) improves power generation capacity providing a great power to size ratio and excellent performance - achieving 21.8% efficiency. The product family is suitable for both residential and commercial solar pv systems. Features of the LONGi Solar HiMo6 430Wp Mono All Black Solar Panel:

Web: <https://www.ecomax.info.pl>

